# CURRENT FLASHES

Cedar-Knox Public Power District • P.O. Box 947 • Hartington, NE 68739

Phone: 402-254-6291 or 800-891-5196

cedarknoxppd.com April 2023

April 2023

Volume 23, Number 3

### **#ThankALineworker**

This month we celebrate the hard-working men and women who keep the power on for our communities near and far. Rain or shine, day or night, line workers climb to great heights to ensure our homes and businesses stay lit. National Rural Electric Cooperative Association (NRECA) has designated the second Monday of April each year, April 10th this year, as the day to honor line workers. We are fortunate enough here in Nebraska to have elected officials who praise the work we do as well and have designated April 18, 2023 as Lineworker Appreciation Day in Nebraska. Today, and every day, let's celebrate the men and women who have dedicated their lives to ensure we have safe, reliable electricity. From climbing poles to restoring power during storms, line workers are the backbone of our energy infrastructure. Be sure to thank our local lineworkers when you see them!!

# You play a role in work zone safety. UTILITY WORK AHEAD 2023 National Work Zone Awareness Week

### **Work Zone Awareness Week:**

### **April 17th - 21st**

National Work Zone Awareness Week is an annual spring campaign, held at the start of the construction season. The 2023 theme is: "You play a role in work zone safety." Drivers are encouraged to prevent the often-tragic consequences of work zone crashes by slowing down, eliminating distractions (cell phone use, eating etc.), following directions on road signs and flaggers as they approach work zones. Help keep all types of workers (including ours!!) safe.

## LINEWORKER APPRECIATION DAY

We salute you for all you do to keep the lights on.

#ThankALineworker







Don't drive distracted. Reduce your speed. Change lanes. 12 work zone crashes result in at least 1 fatality each week







Never plug a generator into a wall outlet in your home or garage. The power that back feeds into the electric line could electrocute a utility worker or neighbor.



DON'T post signs on utility poles.

Foreign objects can tear utility workers' protective clothing, which is the first line of protection from an electric shock.





### HERE ARE GUIDELINES TO REMEMBER WHEN YOU PLANT NEAR TRANSFORMERS:

- Call 811 or request a locate online at <u>www.ne1call.com</u>. CKPPD will locate and mark underground utility services for you.
- 2. Maintain a 3 foot clearance to the sides and back of the transformer. Equipment inside the box generates heat and needs air circulation to keep cool and run efficiently. Overheating could cause an outage.
- 3. Maintain a 10 foot clearance in front of the transformer. Fences, shrubs and trees planted to close to the pad mount transformer can slow restoration and create a serious safety hazard. If these items are in the way, crews may have to remove them to gain access. To avoid that situation, take time to plan before landscaping near electrical equipment. Consider the mature size and spread of a shrub or tree which varies by species.





Reminder: The deadline to apply for Youth Energy Leadership Camp is April 28th. Camp is held July 9-13 and we would love to sponsor local 9th, 10th, and 11th graders to attend. For more information, call 402-254-6291.





Customers with irrigation accounts will soon be billed the Horsepower Capacity Charge on May 1, 2023. If you are thinking of changing your load control rate option, please call or stop by the office by **April 28th**. After that date, customers can only go to a more expensive rate option for an additional fee.

### **2023 IRRIGATION RATES**

No Control \$44.00 x per Measured Horsepower Energy charge per kwh \$0.07191

Every Other Day Control \$30.00 x per Measured Horsepower Energy charge per kwh \$0.06191

Every Day Control \$24.25 x per Measured Horsepower Energy charge per kwh \$0.04548

Irrigation customers are reminded to notify Cedar-Knox PPD of any changes that have been made to your irrigation system during the past season. CKPPD personnel will review the changes to determine if a new usage pattern can be identified resulting in a change for your billing. Changes could include:

- Different or added pivots Added wells Different sizing of wells
  - Re-nozzling of system Adding automatic restart

Spring checks of our load control equipment will begin soon. If you replaced your panel that the load control radio is attached to or unhooked your radio, please call the office to let us know. Thank you.

